ELSEVIER

Brain Research Protocols 8 (2001) 236–237

BRAIN RESEARCH PROTOCOLS

www.elsevier.com/locate/bres

Author Index

Abe, K., see Sasaki, T. (8) 170
Andrade, F., see Vásquez, C. (8) 208
Ariga, T., see Utsunomiya, I. (8) 99

Barceló, A.C., see Pazo, J.H. (8) 132
Basar, E., see Quian Quiroga, R. (8) 16
Belforte, J.E., see Pazo, J.H. (8) 132
Bhattacharjee, A.K., Nagashima, T., Kondoh, T. and Tamaki, N.
Quantification of early blood–brain barrier disruption by in situ brain perfusion technique (8) 126
Brunetti, G., see Lobina, C. (8) 74
Busija, D., see Rajapakse, N. (8) 176
Byblow, W.D., see Lewis, G.N. (8) 82

Carai, M.A.M., see Lobina, C. (8) 74
Carp, R.I., see Ye, X. (8) 104
Casado, P., see Hinojosa, J.A. (8) 199
Colombo, G., see Lobina, C. (8) 74
Connolly, R., see Esposito, P. (8) 143
Cool, D., see Key, M. (8) 8
Cupello, A., see Rapallino, M.V. (8) 58

Diaz, G., see Lobina, C. (8) 74

Esposito, P., Jacobson, S., Connolly, R., Gheorghe, D. and Theoharides, T.C.
Non-invasive assessment of blood–brain barrier (BBB) permeability using a gamma camera to detect ^{99}technetium-gluceptate extravasation in rat brain (8) 143

Fernández-Frías, C., see Hinojosa, J.A. (8) 199
Fernandez-Garcia, E., see Patel, S. (8) 191

Gheorghe, D., see Esposito, P. (8) 143
Giles, M.E., Sly, D.J., McKinley, M.J. and Oldfield, B.J.
A method for the identification of pseudorabies virus protein and angiotensin AT_{1A} receptor mRNA expression in the same CNS neurons (8) 153
Gomez, F.
Induction of conditioned taste aversion with a self-administered substance in rats (8) 137
Gulya, K., see Vizi, S. (8) 32

Hara, M., see Yagi, T. (8) 88
Hatvani, L., see Vizi, S. (8) 32
Henn, F.A., see Vollmayr, B. (8) 1
Hinojosa, J.A., Martín-Loeches, M., Casado, P., Muñoz, F., Fernández-Frías, C. and Pozo, M.A.
Studying semantics in the brain: the rapid stream stimulation paradigm (8) 199
Huerta, M., see Vásquez, C. (8) 208
Hutson, P.H., see Patel, S. (8) 191

Ihara, Y., see Utsunomiya, I. (8) 99
Ikarashi, Y., see Takahashi, A. (8) 68
Ishimaru, H., see Takahashi, A. (8) 68

Jackson-Friedman, C., see Manoonkitiwongsa, P.S. (8) 45
Jacobson, S., see Esposito, P. (8) 143
Johnson, I.P.
Rapid estimates of neuron number in the confocal microscope combined with in situ hybridisation and immunocytochemistry (8) 113

Kaneko, Y.S., Mori, K., Nakashima, A., Nagatsu, I., Nagatsu, T. and Ota, A.
Determination of tetrahydrobiopterin in murine locus coeruleus by HPLC with fluorescence detection (8) 25
Key, M., Wirick, B., Cool, D. and Morris, M.
Quantitative in situ hybridization for peptide mRNAs in mouse brain (8) 8
Kishi, E., see Takahashi, A. (8) 68
Kondoh, T., see Bhattacharjee, A.K. (8) 126

Lewis, G.N. and Byblow, W.D.
A method to monitor corticomotor excitability during passive rhythmic movement of the upper limb (8) 82
Lobina, C., Colombo, G., Brunetti, G., Diaz, G., Melis, S., Pani, M., Serra, S., Vacca, G., Luigi Gessa, G. and Carai, M.A.M.
Procedure of bidirectional selective outbreeding for production of two rat lines differing in sensitivity to the sedative/hypnotic effect of γ-hydroxybutyric acid (8) 74
Luigi Gessa, G., see Lobina, C. (8) 74
Luis Marín, J., see Vásquez, C. (8) 208
Lyden, P.D., see Manoonkitiwongsa, P.S. (8) 45
Lyden, P.D., see Manoonkitiwongsa, P.S. (8) 150

Ma, P.M., see Polnau, D.G. (8) 228
Maeda, M., see Yagi, T. (8) 88
Maekawa, K., Tanimoto, T., Okada, S., Suzuki, Ta., Suzuki, Ts. and Yabe-Nishimura, C.
Analysis of gene expression of aldose reductase and sorbitol dehydrogenase in rat Schwann cells by competitive RT-PCR method using non-homologous DNA standards (8) 219
Manoonkitiwongsa, P.S., McMillan, P.J., Schultz, R.L., Jackson-Friedman, C. and Lyden, P.D.
A simple stereologic method for analysis of cerebral cortical microvessels using image analysis (8) 45
Manoonkitiwongsa, P.S., Schultz, R.L., Whitter, E.F. and Lyden, P.D.
Use of image analysis for estimation of the numerical densities of neurons and synapses in cerebral cortex (8) 150
Martín-Loeches, M., see Hinojosa, J.A. (8) 199
Maruyama, Y., see Takahashi, A. (8) 68
McGeer, E.G., see Yasojima, K. (8) 212
McGeer, P.L., see Yasojima, K. (8) 212
McKinley, M.J., see Giles, M.E. (8) 153
McMillan, P.J., see Manoonkitiwongsa, P.S. (8) 45
Melis, S., see Lobina, C. (8) 74
Miyatake, T., see Utsunomiya, I. (8) 99
Mori, K., see Kaneko, Y.S. (8) 25
Morris, M., see Key, M. (8) 8
Muñoz, F., see Hinojosa, J.A. (8) 199

Nagashima, T., see Bhattacharjee, A.K. (8) 126
Nagatsu, I., see Kaneko, Y.S. (8) 25
Nagatsu, T., see Kaneko, Y.S. (8) 25
Nakashima, A., see Kaneko, Y.S. (8) 25

Okada, S., see Maekawa, K. (8) 219
Oldfield, B.J., see Giles, M.E. (8) 153
Ota, A., see Kaneko, Y.S. (8) 25

Palfi, A., see Vizi, S. (8) 32
Pani, M., see Lobina, C. (8) 74

PII: S1385-299X(01)00125-8

ELSEVIER

Brain Research Protocols 8 (2001) 236–237

BRAIN RESEARCH PROTOCOLS

www.elsevier.com/locate/bres

Author Index

Abe, K., see Sasaki, T. (8) 170
Andrade, F., see Vásquez, C. (8) 208
Ariga, T., see Utsunomiya, I. (8) 99

Barceló, A.C., see Pazo, J.H. (8) 132
Basar, E., see Quian Quiroga, R. (8) 16
Belforte, J.E., see Pazo, J.H. (8) 132
Bhattacharjee, A.K., Nagashima, T., Kondoh, T. and Tamaki, N.
Quantification of early blood–brain barrier disruption by in situ brain perfusion technique (8) 126
Brunetti, G., see Lobina, C. (8) 74
Busija, D., see Rajapakse, N. (8) 176
Byblow, W.D., see Lewis, G.N. (8) 82

Carai, M.A.M., see Lobina, C. (8) 74
Carp, R.I., see Ye, X. (8) 104
Casado, P., see Hinojosa, J.A. (8) 199
Colombo, G., see Lobina, C. (8) 74
Connolly, R., see Esposito, P. (8) 143
Cool, D., see Key, M. (8) 8
Cupello, A., see Rapallino, M.V. (8) 58

Diaz, G., see Lobina, C. (8) 74

Esposito, P., Jacobson, S., Connolly, R., Gheorghe, D. and Theoharides, T.C.
Non-invasive assessment of blood–brain barrier (BBB) permeability using a gamma camera to detect ^{99}technetium-gluceptate extravasation in rat brain (8) 143

Fernández-Frías, C., see Hinojosa, J.A. (8) 199
Fernandez-Garcia, E., see Patel, S. (8) 191

Gheorghe, D., see Esposito, P. (8) 143
Giles, M.E., Sly, D.J., McKinley, M.J. and Oldfield, B.J.
A method for the identification of pseudorabies virus protein and angiotensin AT_{1A} receptor mRNA expression in the same CNS neurons (8) 153
Gomez, F.
Induction of conditioned taste aversion with a self-administered substance in rats (8) 137
Gulya, K., see Vizi, S. (8) 32

Hara, M., see Yagi, T. (8) 88
Hatvani, L., see Vizi, S. (8) 32
Henn, F.A., see Vollmayr, B. (8) 1
Hinojosa, J.A., Martín-Loeches, M., Casado, P., Muñoz, F., Fernández-Frías, C. and Pozo, M.A.
Studying semantics in the brain: the rapid stream stimulation paradigm (8) 199
Huerta, M., see Vásquez, C. (8) 208
Hutson, P.H., see Patel, S. (8) 191

Ihara, Y., see Utsunomiya, I. (8) 99
Ikarashi, Y., see Takahashi, A. (8) 68
Ishimaru, H., see Takahashi, A. (8) 68

Jackson-Friedman, C., see Manoonkitiwongsa, P.S. (8) 45
Jacobson, S., see Esposito, P. (8) 143
Johnson, I.P.
Rapid estimates of neuron number in the confocal microscope combined with in situ hybridisation and immunocytochemistry (8) 113

Kaneko, Y.S., Mori, K., Nakashima, A., Nagatsu, I., Nagatsu, T. and Ota, A.
Determination of tetrahydrobiopterin in murine locus coeruleus by HPLC with fluorescence detection (8) 25
Key, M., Wirick, B., Cool, D. and Morris, M.
Quantitative in situ hybridization for peptide mRNAs in mouse brain (8) 8
Kishi, E., see Takahashi, A. (8) 68
Kondoh, T., see Bhattacharjee, A.K. (8) 126

Lewis, G.N. and Byblow, W.D.
A method to monitor corticomotor excitability during passive rhythmic movement of the upper limb (8) 82
Lobina, C., Colombo, G., Brunetti, G., Diaz, G., Melis, S., Pani, M., Serra, S., Vacca, G., Luigi Gessa, G. and Carai, M.A.M.
Procedure of bidirectional selective outbreeding for production of two rat lines differing in sensitivity to the sedative/hypnotic effect of γ-hydroxybutyric acid (8) 74
Luigi Gessa, G., see Lobina, C. (8) 74
Luis Marín, J., see Vásquez, C. (8) 208
Lyden, P.D., see Manoonkitiwongsa, P.S. (8) 45
Lyden, P.D., see Manoonkitiwongsa, P.S. (8) 150

Ma, P.M., see Polnau, D.G. (8) 228
Maeda, M., see Yagi, T. (8) 88
Maekawa, K., Tanimoto, T., Okada, S., Suzuki, Ta., Suzuki, Ts. and Yabe-Nishimura, C.
Analysis of gene expression of aldose reductase and sorbitol dehydrogenase in rat Schwann cells by competitive RT-PCR method using non-homologous DNA standards (8) 219
Manoonkitiwongsa, P.S., McMillan, P.J., Schultz, R.L., Jackson-Friedman, C. and Lyden, P.D.
A simple stereologic method for analysis of cerebral cortical microvessels using image analysis (8) 45
Manoonkitiwongsa, P.S., Schultz, R.L., Whitter, E.F. and Lyden, P.D.
Use of image analysis for estimation of the numerical densities of neurons and synapses in cerebral cortex (8) 150
Martín-Loeches, M., see Hinojosa, J.A. (8) 199
Maruyama, Y., see Takahashi, A. (8) 68
McGeer, E.G., see Yasojima, K. (8) 212
McGeer, P.L., see Yasojima, K. (8) 212
McKinley, M.J., see Giles, M.E. (8) 153
McMillan, P.J., see Manoonkitiwongsa, P.S. (8) 45
Melis, S., see Lobina, C. (8) 74
Miyatake, T., see Utsunomiya, I. (8) 99
Mori, K., see Kaneko, Y.S. (8) 25
Morris, M., see Key, M. (8) 8
Muñoz, F., see Hinojosa, J.A. (8) 199

Nagashima, T., see Bhattacharjee, A.K. (8) 126
Nagatsu, I., see Kaneko, Y.S. (8) 25
Nagatsu, T., see Kaneko, Y.S. (8) 25
Nakashima, A., see Kaneko, Y.S. (8) 25

Okada, S., see Maekawa, K. (8) 219
Oldfield, B.J., see Giles, M.E. (8) 153
Ota, A., see Kaneko, Y.S. (8) 25

Palfi, A., see Vizi, S. (8) 32
Pani, M., see Lobina, C. (8) 74

PII: S1385-299X(01)00125-8

Patel, S., Fernandez-Garcia, E., Hutson, P.H. and Patel, S.
An in vivo binding assay to determine central α_1-adrenoceptor occupancy using [^{3}H]prazosin (8) 191
Patel, S., see Patel, S. (8) 191
Payne, M., see Rajapakse, N. (8) 176
Pazo, J.H., Belforte, J.E. and Barceló, A.C.
Stimulation of dental pulp with simultaneous recording of the jaw opening reflex in the rat (8) 132
Polnau, D.G. and Ma, P.M.
Simultaneous video analysis of the kinematics of opercular movement and electromyographic activity during agonistic display in Siamese fighting fish (8) 228
Pozo, M.A., see Hinojosa, J.A. (8) 199

Quian Quiroga, R., Sakowitz, O.W., Basar, E. and Schürmann, M.
Wavelet Transform in the analysis of the frequency composition of evoked potentials (8) 16

Rajapakse, N., Shimizu, K., Payne, M. and Busija, D.
Isolation and characterization of intact mitochondria from neonatal rat brain (8) 176
Rapallino, M.V. and Cupello, A.
Holger Hydén's technique of preparation of single Deiters' neurons and study of permeability characteristics of their plasma membranes (8) 58
Ren, J., see Utsunomiya, I. (8) 99
Ruano, D., see Vela, J. (8) 184

Sakowitz, O.W., see Quian Quiroga, R. (8) 16
Sasaki, T. and Abe, K.
Development of a transportable incubator for autoradiographic experiments with positron emitter-labeled tracers in living brain tissues (8) 170
Scallet, A.C., see Ye, X. (8) 104
Schmued, L.C., see Ye, X. (8) 104
Schultz, R.L., see Manoonkitiwongsa, P.S. (8) 45
Schultz, R.L., see Manoonkitiwongsa, P.S. (8) 150
Schürmann, M., see Quian Quiroga, R. (8) 16
Serra, S., see Lobina, C. (8) 74
Shimizu, K., see Rajapakse, N. (8) 176
Sly, D.J., see Giles, M.E. (8) 153
Sogawa, Y., Yoshimura, Y. and Yamauchi, T.
Investigation of the Ca^{2+}-independent form of Ca^{2+}/calmodulin-dependent protein kinase II in neurite outgrowth (8) 159
Suzuki, T., see Maekawa, K. (8) 219
Suzuki, T., see Maekawa, K. (8) 219

Taguchi, K., see Utsunomiya, I. (8) 99
Tai, T., see Utsunomiya, I. (8) 99
Takahashi, A., Ishimaru, H., Ikarashi, Y., Kishi, E. and Maruyama, Y.
Hypothalamic neuroactivity in specific processes and central regulation of body temperature and water intake (8) 68
Tamaki, N., see Bhattacharjee, A.K. (8) 126
Tanaka, A., see Yagi, T. (8) 88
Tanimoto, T., see Maekawa, K. (8) 219
Theoharides, T.C., see Esposito, P. (8) 143
Trujillo, X., see Vásquez, C. (8) 208
Trujillo-Hernández, B., see Vásquez, C. (8) 208

Utsunomiya, I., Ren, J., Taguchi, K., Ariga, T., Tai, T., Ihara, Y. and Miyatake, T.
Immunohistochemical detection of verotoxin receptors in nervous system (8) 99

Vacca, G., see Lobina, C. (8) 74
Vásquez, C., Huerta, M., Trujillo, X., Luis Marín, J., Andrade, F. and Trujillo-Hernández, B.
Measurement of Ca^{2+} currents in intact slow skeletal muscle fibers of the frog by the three-microelectrode technique (8) 208
Vela, J., Vitorica, J. and Ruano, D.
Rapid PCR-mediated synthesis of competitor molecules for accurate quantification of β_2 $GABA_A$ receptor subunit mRNA (8) 184
Vitorica, J., see Vela, J. (8) 184
Vizi, S., Palfi, A., Hatvani, L. and Gulya, K.
Methods for quantification of in situ hybridization signals obtained by film autoradiography and phosphorimaging applied for estimation of regional levels of calmodulin mRNA classes in the rat brain (8) 32
Vollmayr, B. and Henn, F.A.
Learned helplessness in the rat: improvements in validity and reliability (8) 1

Whitter, E.F., see Manoonkitiwongsa, P.S. (8) 150
Wirick, B., see Key, M. (8) 8

Yabe-Nishimura, C., see Maekawa, K. (8) 219
Yagi, T., Maeda, M., Tanaka, A. and Hara, M.
Detection of the exogenous hGDNF in gerbils under the treatment with AxCAhGDNF adenoviral vector (8) 88
Yamauchi, T., see Sogawa, Y. (8) 159
Yasojima, K., McGeer, E.G. and McGeer, P.L.
High stability of mRNAs postmortem and protocols for their assessment by RT-PCR (8) 212
Ye, X., Carp, R.I., Schmued, L.C. and Scallet, A.C.
Fluoro-Jade and silver methods: application to the neuropathology of scrapie, a transmissible spongiform encephalopathy (8) 104
Yoshimura, Y., see Sogawa, Y. (8) 159